

SPEC SHEET + MEASUREMENTS



Carhartt® Washed Duck Active Jac. CT104050

Product photo



An update to a Carhartt icon—the J130—this dependable, durable jacket was created with input from the hardworking people who wear our gear day in and day out.

- 12-ounce, 100% ring spun cotton washed duck
- Quilted nylon lining for easy on and off; 80-gram, 100% polyester 3M™ Thinsulate™ featherless insulation for warmth without the weight
- Attached quilted three-piece hood with drawcord closure
- Full-length brass front zipper
- Two interior pockets: one zippered, one hook and loop
- Two large hand pockets
- Pen stall in right pocket
- Locker loop
- Elbow pleats for ease of movement
- Rib knit cuffs and waistband
- Carhartt-strong, triple-stitched main seams
- Carhartt label sewn on left pocket
- Carhartt Warmth Rating Earned: Level 3—Warmest
- Loose fit

Sketches



front



back

CARE INSTRUCTIONS

Machine wash warm like colors. Do not bleach. Tumble dry medium. Steam iron shell only. Do not dry clean

SPEC SHEET + MEASUREMENTS



Carhartt® Washed Duck Active Jac. CT104050

PRODUCT MEASUREMENTS

	S	M	L	XL	2XL	3XL	4XL
Body Length at Back	26 1/2	27 1/2	28 1/2	28 1/2	29 1/2	29 1/2	30 1/2
Chest	21 1/2	23 1/2	25 1/2	27 1/2	29 1/2	31 1/2	33 1/2
Sleeve Length from Center Back	35 7/16	36 1/2	37 1/8	37 3/4	38 3/8	38 7/8	39 3/8

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS

	S	M	L	XL	2XL	3XL	4XL
Chest	34-36	38-40	42-44	46-48	50-52	54-56	58-60

SPEC SHEET + MEASUREMENTS



Carhartt® Washed Duck Active Jac. CT104050

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS

Please note: PMS code information is shown only when an exact match is available.



Black
PMS BLACK
C



Carhartt
Brown
PMS 463C



Gravel
PMS COOL
GRAY 11C



Navy
PMS 533C