

# SPEC SHEET + MEASUREMENTS



## Carhartt® Tall Washed Duck Active Jac. CTT104050

### Product photo



An update to a Carhartt icon—the J130—this dependable, durable jacket was created with input from the hardworking people who wear our gear day in and day out.

- 12-ounce, 100% ring spun cotton washed duck
- Quilted nylon lining for easy on and off; 80-gram, 100% polyester 3M™ Thinsulate™ featherless insulation for warmth without the weight
- Attached quilted three-piece hood with drawcord closure
- Full-length brass front zipper
- Two interior pockets: one zippered, one hook and loop
- Two large hand pockets
- Pen stall in right pocket
- Locker loop
- Elbow pleats for ease of movement
- Rib knit cuffs and waistband
- Carhartt-strong, triple-stitched main seams
- Carhartt label sewn on left pocket
- Carhartt Warmth Rating Earned: Level 3—Warmest
- Loose fit

### Sketches



front



back

### CARE INSTRUCTIONS

Machine wash warm like colors, Do not bleach, Tumble dry medium, Steam iron shell only, Do not dry clean

# SPEC SHEET + MEASUREMENTS



Carhartt® Tall Washed Duck Active Jac. CTT104050

## PRODUCT MEASUREMENTS

	LT	XLT	2XLT	3XLT	4XLT
Body Length at Back	30 1/2	31 1/2	31 1/2	32 1/2	32 1/2
Chest	25 1/2	27 1/2	29 1/2	31 1/2	33 1/2
Sleeve Length from Center Back	39 1/8	39 3/4	40 3/8	40 7/8	41 3/8

**Body Length at Back:** Measured from high point shoulder to finished hem at back.

**Chest:** Measured across the chest one inch below armhole when laid flat.

**Sleeve Length from Center Back:** Measure from Center Back neck to shoulder point to sleeve hem.

## SIZE CHARTS

	LT	XLT	2XLT	3XLT	4XLT
Chest	42-44	46-48	50-52	54-56	58-60

# SPEC SHEET + MEASUREMENTS



Carhartt® Tall Washed Duck Active Jac. CTT104050

## HOW TO MEASURE

---



### CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

## COLORS

---

Please note: PMS code information is shown only when an exact match is available.



Black  
PMS BLACK  
C



Carhartt  
Brown  
PMS 463C



Navy  
PMS 533C